

MASSEY FERGUSON

ATTACHMENTS CATALOG

ZIEGLER
AG EQUIPMENT



VERSATILE. DURABLE. DEPENDABLE.






THE VERSATILITY YOU NEED TO DO IT ALL.

At Ziegler Ag Equipment, you'll find a wide variety of implements and attachments for your Massey Ferguson® equipment.

These attachments are built to do it all, from blowing snow and mowing grass to digging holes and hauling heavy loads. Rely on them to help you accomplish job after job with specially designed safeguards that reduce your need for manpower and maintenance.

Ask our Ziegler Ag Equipment team for more information about our selection of Massey Ferguson attachments!

MATERIAL HANDLING

BACKHOE	4
LOADER	5

ROTARY CUTTERS

BATWING	6
DITCH BANK	7
MULTI-SPINDLE	8
SINGLE-SPINDLE	10

FINISH MOWERS

MID-MOUNT MOWER	12
REAR-DISCHARGE MOWER	13

SNOW REMOVAL

FRONT-MOUNTED SNOW BLOWER	14
REAR-MOUNTED SNOW BLOWER	15

LANDSCAPING

BOX SCRAPERS	16
CULTIPACKERS	17
DISC HARROWS	18
DOZER BLADES	19
GRADING SCRAPERS	21
RAKES	22
POST HOLE DIGGERS	23
REAR BLADES	24
ROTARY BROOMS	26
STUMP GRINDER	27

TILLAGE

ROTARY TILLERS	28

SEEDERS

FOOD PLOT SEEDER	30
PRECISION SUPER SEEDER	31



BACKHOE

Model	CB65	CB75	CB85
GC1705	✓		
GC1715	✓		
GC1723E	✓		
GC1725M	✓		
1726E	✓	✓	
1734E		✓	
1739E		✓	
1735M		✓	
1740M		✓	
1750M			✓
1755M			✓
1760M			✓
2705E			✓
2706E			✓
Capacity (digging force)	2,476 lbs.	3,148 lbs.	4,475 lbs.
Max. Lift Height/Depth	78"	92.1"	99.6"
Bucket Width	10", 12"	10", 12", 16"	10", 12", 16", 18", 24"



LOADER

Model	FL1805	L100E	L105E	DL125	DL135	L135E	911X	931X	FL.3615
GC1705	✓								
GC1710	✓								
GC1715	✓								
GC1720	✓								
GC1723E	✓								
GC1723EB	✓								
GC1725M	✓								
GC1725MB	✓								
1526		✓							
1726E			✓						
1734E			✓						
1739E			✓						
1735M				✓					
1740M				✓					
1750M					✓				
1755M					✓				
1760M					✓				
2604H							✓		
2605H							✓		
2606H							✓		
2607H							✓		
2705E						✓			
2706E						✓			
4707								✓	✓
4708								✓	✓
4709								✓	✓
4710								✓	✓
Capacity	922 lbs.	820 lbs.	1,210 lbs.	1,840 lbs.	2,420 lbs.	1,770 lbs.	1,510 lbs.	3,420 lbs.	3,461 lbs.
Max. Lift Height/Depth	74"	83"	95.7"	102.4"	110.2"	110.2"	115"	136"	140"
Bucket Width	48"	54"	60"	72"	72"	72"	72"	84"	72", 84"











BATWING

Model	BW10.50	BW10.60	BW10.70	BW12	BW15.50	BW15.60	BW15.70
1739E				✓			
1735M				✓			
1740M				✓			
1750M	✓			✓	✓		
1755M	✓			✓	✓		
1760M	✓	✓		✓	✓	✓	
2604H	✓			✓	✓		
2605H	✓	✓		✓	✓	✓	
2606H	✓	✓	✓	✓	✓	✓	✓
2607H	✓	✓	✓	✓	✓	✓	✓
2705E	✓			✓	✓		
2706E	✓	✓		✓	✓	✓	
4707	✓	✓	✓	✓	✓	✓	✓
4708	✓	✓	✓	✓	✓	✓	✓
4709	✓	✓	✓	✓	✓	✓	✓
4710	✓	✓	✓	✓	✓	✓	✓
Cutting Width	126"	126"	126"	144"	180"	180"	180"
Cutting Diameter	2.5"	4"	4.5"	1.5"	2.5"	4"	4.5"



	BW240X	BW240XHD	BW1620X	BW2400X
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	240"	240"	162"	240"
	2"	3"	4"	4"

DITCH BANK

Model	DBH5.31	DBH6.31
2606H	✓	✓
2607H	✓	✓
4707	✓	✓
4708	✓	✓
4709	✓	✓
4710	✓	✓
Cutting Width	60"	72"
Cutting Diameter	2"	2"
Max. Cutting Reach	30"	30"



MULTI-SPINDLE

Model	DS8.30	MDS8.30	DS8.50	MDS8.50	DSO8.50	DS10.40	MDS10.40
1739E	✓						
1735M	✓						
1740M	✓		✓		✓	✓	
1750M	✓	✓	✓		✓	✓	
1755M	✓	✓	✓		✓	✓	
1760M	✓	✓	✓	✓	✓	✓	
2604H	✓	✓	✓		✓	✓	
2605H	✓	✓	✓	✓	✓	✓	
2606H	✓	✓	✓	✓	✓	✓	✓
2607H	✓	✓	✓	✓	✓	✓	✓
2705E	✓	✓	✓		✓	✓	
2706E	✓	✓	✓	✓	✓	✓	
4707	✓	✓	✓	✓	✓	✓	✓
4708	✓	✓	✓	✓	✓	✓	✓
4709	✓	✓	✓	✓	✓	✓	✓
4710	✓	✓	✓	✓	✓	✓	✓
Hitch Type	Pull-Type	3-Point	Pull-Type	3-Point	Semi-Mounted	Pull-Type	3-Point
Cutting Width	96"	96"	96"	96"	96"	120"	120"
Cutting Diameter	1.5"	1.5"	3"	3"	3"	2"	2"



DS10.50	MDS10.50	DSO10.50	DS12.50	MDS12.50	TS14.60	MTS14.60
✓		✓	✓			
✓		✓	✓			
✓		✓	✓			
✓	✓	✓	✓			
✓	✓	✓	✓	✓	✓	
✓		✓	✓			
✓	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
Pull-Type	3-Point	Semi-Mounted	Pull-Type	3-Point	Pull-Type	3-Point
120"	120"	120"	144"	144"	168"	168"
3"	3"	3"	3"	3"	3"	3"





SINGLE-SPINDLE

Model	RC3.5	RC4	RC5	RC6	BB48X	BB60X	BB600X
GC1723E	✓	✓			✓	✓	✓
GC1723EB	✓	✓			✓	✓	✓
GC1725M	✓	✓			✓	✓	✓
GC1725MB	✓	✓			✓	✓	✓
1526	✓	✓	✓	✓	✓	✓	✓
1726E	✓	✓	✓	✓	✓	✓	✓
1734E	✓	✓	✓	✓	✓	✓	✓
1739E	✓	✓	✓	✓	✓	✓	✓
1735M	✓	✓	✓	✓	✓	✓	✓
1740M	✓	✓	✓	✓	✓	✓	✓
1750M			✓	✓	✓	✓	✓
1755M							✓
1760M							✓
2604H							✓
2605H							✓
2606H							✓
2607H							✓
2705E							✓
2706E							✓
4707							✓
4708							✓
4709							✓
4710							✓
Cutting Width	42"	48"	60"	72"	48"	60"	60"
Cutting Diameter	1"	1"	1"	1"	1.5"	2"	3"



BB6000X	BB72X	BB720X	BB7200X	BB84X	BB840X	BB8400X
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	✓
✓		✓	✓	✓	✓	✓
✓		✓	✓		✓	✓
60"	72"	72"	72"	84"	84"	84"
4"	2"	3"	4"	2"	3"	4"



MID-MOUNT MOWER

Model	2315	2320	2326 Drive Over Deck	1705
GC1705	✓	✓	✓	
GC1710	✓	✓	✓	
GC1715	✓	✓	✓	
GC1720	✓	✓	✓	
GC1723E	✓	✓	✓	
GC1723EB	✓	✓	✓	
GC1725M	✓	✓	✓	
GC1725MB	✓	✓	✓	
1735M				✓
Cutting Width	54"	54"	60"	72"
Cutting Height	1.3 – 4.9"	1.2 – 4.7"	1.2 – 4.7"	1.5 – 5.0"
Number of Blades	6	3	3	3



REAR-DISCHARGE MOWE

Model	RDC54
GC1723E	✓
GC1723EB	✓
GC1725M	✓
GC1725MB	✓
1526	✓
1726E	✓
1734E	
1739E	
1735M	
1740M	
1750M	
1755M	
1760M	
2604H	
2605H	
2606H	
2607H	
2705E	
2706E	
4707	
4708	
Cutting Width	54"
Cutting Height	1 – 4.5"



WER

	RD60	RD72	PRD6000	PRD7200	PRD8400	RD990X	TBW150C	TBW144	TBW180	TBW204
	✓		✓							
	✓		✓							
	✓		✓							
	✓		✓							
	✓		✓							
	✓		✓							
	✓	✓	✓	✓	✓		✓			
	✓	✓	✓	✓	✓		✓	✓	✓	
	✓	✓	✓	✓	✓		✓			
	✓	✓	✓	✓	✓		✓	✓		
			✓	✓	✓		✓	✓		
							✓	✓	✓	✓
						✓	✓	✓	✓	✓
						✓	✓	✓	✓	✓
						✓	✓	✓	✓	✓
						✓	✓	✓	✓	✓
						✓	✓	✓	✓	✓
							✓	✓	✓	✓
						✓	✓	✓	✓	✓
						✓		✓	✓	✓
								✓	✓	✓
	60"	72"	60"	72"	84"	90"	150"	144"	180"	204"
	1 – 4.5"	1 – 4.5"	1 – 5.5"	1 – 5.5"	1 – 4.25"	1.5 – 7"	1 – 4.5"	1 – 5"	1 – 5"	1 – 5"



FRONT-MOUNTED SNOW BLOWER

Model	2360	1410	1507
GC1705	✓		
GC1710	✓		
GC1715	✓		
GC1720	✓		
GC1723E	✓		
GC1723EB	✓		
GC1725M	✓		
GC1725MB	✓		
1526		✓	
1735M		✓	
1740M		✓	
1750M			✓
1755M			✓
1760M			✓
Cutting Width	50"	63"	71"
Cutting Height	19.125"	63.125"	23.8"



REAR-MOUNTED SNOW BLOWER

Model	SB54S	SB64S	SB74C	SB84C	SS84-2	SS96-2 (540 rpm)	SS96-2 (1,000 rpm)
GC1705	✓	✓					
GC1710	✓	✓					
GC1715	✓	✓					
GC1720	✓	✓					
GC1723E	✓	✓					
GC1723EB	✓	✓					
GC1725M	✓	✓					
GC1725MB	✓	✓					
1526	✓	✓					
1726E	✓	✓					
1734E		✓					
1739E		✓	✓				
1735M		✓					
1740M		✓	✓				
1750M			✓	✓			
1755M			✓	✓			
1760M			✓	✓			
2604H			✓	✓			
2605H			✓	✓			
2606H			✓	✓	✓		
2607H			✓	✓	✓		
2705E			✓	✓			
2706E			✓	✓			
4707					✓		
4708					✓	✓	✓
4709						✓	✓
4710						✓	✓
Cutting Width	54"	64"	74"	84"	84"	96"	96"

BOX SCRAPERS

Model	GBC48	BSS54	BSS60	BSS65	BSS72	BSM72	BSM84
GC1705	✓	✓	✓	✓	✓		
GC1710	✓	✓	✓	✓	✓		
GC1715	✓	✓	✓	✓	✓		
GC1720	✓	✓	✓	✓	✓		
GC1723E	✓	✓	✓	✓	✓		
GC1723EB	✓	✓	✓	✓	✓		
GC1725M	✓	✓	✓	✓	✓		
GC1725MB	✓	✓	✓	✓	✓		
1526	✓	✓	✓	✓	✓		
1726E		✓	✓	✓	✓		
1734E		✓	✓	✓	✓		
1739E		✓	✓	✓	✓		
1735M		✓	✓	✓	✓		
1740M		✓	✓	✓	✓	✓	✓
1750M						✓	✓
1755M						✓	✓
1760M						✓	✓
2604H						✓	✓
2605H						✓	✓
2606H						✓	✓
Working Width	48"	54"	60"	65"	72"	72"	84"







CULTIPACKERS

Model	C48T	C72	C84
GC1705	✓	✓	✓
GC1710	✓	✓	✓
GC1715	✓	✓	✓
GC1720	✓	✓	✓
GC1723E	✓	✓	✓
GC1723EB	✓	✓	✓
GC1725M	✓	✓	✓
GC1725MB	✓	✓	✓
1526	✓	✓	✓
1726E	✓	✓	✓
1734E		✓	✓
1739E		✓	✓
1735M		✓	✓
1740M		✓	✓
1750M		✓	✓
1755M		✓	✓
1760M		✓	✓
2604H		✓	✓
2605H		✓	✓
2606H		✓	✓
2607H		✓	✓
2705E		✓	✓
2706E		✓	✓
4707		✓	✓
Working Width	48"	72"	84"



DISC HARROWS

Model	DHS48	DHS64	DHS80	DHM80	DHM96
GC1705	✓				
GC1710	✓				
GC1715	✓				
GC1720	✓				
GC1723E	✓				
GC1723EB	✓				
GC1725M	✓				
GC1725MB	✓				
1526	✓				
1726E	✓				
1734E	✓	✓			
1739E		✓	✓		
1735M		✓	✓		
1740M		✓	✓		
1750M			✓	✓	
1755M			✓	✓	
1760M				✓	✓
2604H			✓	✓	
2605H			✓	✓	✓
2606H				✓	✓
2607H				✓	✓
2705E			✓	✓	
2706E				✓	✓
4707					✓
4708					✓
Width	48"	64"	80"	80"	96"
No. of Blades	12	14	18	18	22

DOZER BLADES

Model	2335	2340	1405	1545	1550
GC1705	✓	✓			
GC1710	✓	✓			
GC1715	✓	✓			
GC1720	✓	✓			
GC1723E	✓	✓			
GC1723EB	✓	✓			
GC1725M	✓	✓			
GC1725MB	✓	✓			
1526			✓		
1726E			✓		
1734E			✓		
1739E			✓		
1735M			✓		
1740M				✓	✓
1750M				✓	✓
1755M				✓	✓
1760M				✓	✓
Height	17.5"	19"	22.5"	72"	84"
Width	54"	60"	66"	22.375"	22.375"






GRADING SCRAPERS

Model	GSS54	GSS54P
GC1705	✓	✓
GC1710	✓	✓
GC1715	✓	✓
GC1720	✓	✓
GC1723E	✓	✓
GC1723EB	✓	✓
GC1725M	✓	✓
GC1725MB	✓	✓
1526	✓	✓
1726E	✓	✓
1734E		
1739E		
1735M		
1740M		
1750M		
1755M		
1760M		
2604H		
2605H		
2606H		
2705E		
2706E		
Cutting Width	53"	53"
Shanks	0	4


GSS60	GSS60P	GSS72	GSS72P	GSM84	GSM84P	GSM96	GSM96P
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓				
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓
				✓	✓	✓	✓
				✓	✓	✓	✓
				✓	✓	✓	✓
				✓	✓	✓	✓
				✓	✓	✓	✓
				✓	✓	✓	✓
				✓	✓	✓	✓
				✓	✓	✓	✓
59"	59"	71"	71"	83"	83"	95"	95"
0	4	0	5	0	6	0	6



RAKES

Model	LRS52	LRS60	LRS72	LRS72P	LRS84P	LRS96P
GC1705	✓	✓	✓	✓	✓	✓
GC1710	✓	✓	✓	✓	✓	✓
GC1715	✓	✓	✓	✓	✓	✓
GC1720	✓	✓	✓	✓	✓	✓
GC1723E	✓	✓	✓	✓	✓	✓
GC1723EB	✓	✓	✓	✓	✓	✓
GC1725M	✓	✓	✓	✓	✓	✓
GC1725MB	✓	✓	✓	✓	✓	✓
1526	✓	✓	✓	✓	✓	✓
1726E	✓	✓	✓	✓	✓	✓
1734E				✓	✓	✓
1739E				✓	✓	✓
1735M				✓	✓	✓
1740M				✓	✓	✓
Cutting Width	52"	60"	72"	72"	84"	96"





POST HOLE DIGGERS


Model	TPD25	TPD35	TPD65	TPD95
GC1705	✓	✓		
GC1710	✓	✓		
GC1715	✓	✓		
GC1720	✓	✓		
GC1723E	✓	✓		
GC1723EB	✓	✓		
GC1725M	✓	✓		
GC1725MB	✓	✓		
1526	✓	✓		
1726E		✓		
1734E		✓	✓	
1739E			✓	✓
1735M			✓	✓
1740M			✓	✓
1750M			✓	✓
1755M			✓	✓
1760M			✓	✓
2604H			✓	✓
2605H			✓	✓
2606H			✓	✓
2607H				✓
2705E			✓	✓
2706E			✓	✓
4707				✓
4708				✓
4709				✓
Auger Diameter	6", 9", 12"	6", 9", 12", 18"	6", 9", 12", 18", 24"	6", 9", 12", 18", 24", 30"
Length	36"	48"	48"	48"

*Price includes 6" x 36" and 6" x 48" auger.

REAR BLADES

Model	RBS54	RBS60	RBS60P	RBS72	RBS72P
GC1705	✓	✓	✓	✓	✓
GC1710	✓	✓	✓	✓	✓
GC1715	✓	✓	✓	✓	✓
GC1720	✓	✓	✓	✓	✓
GC1723E	✓	✓	✓	✓	✓
GC1723EB	✓	✓	✓	✓	✓
GC1725M	✓	✓	✓	✓	✓
GC1725MB	✓	✓	✓	✓	✓
1526	✓	✓	✓	✓	✓
1726E	✓	✓	✓	✓	✓
1734E			✓		✓
1739E			✓		✓
1735M			✓		✓
1740M			✓		✓
1750M					
1755M					
1760M					
2604H					
2605H					
2606H					
2607H					
2705E					
2706E					
4707					
4708					
Width	53"	59"	59"	71"	71"





RBS84P	RB72.50	RB84.50	RB84.60	RB96.50	RB96.60
✓					
✓					
✓					
✓					
✓					
✓					
✓					
✓					
✓					
✓					
✓	✓	✓		✓	
✓	✓	✓		✓	
✓	✓	✓		✓	
✓	✓	✓		✓	
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
			✓		✓
	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓
			✓		✓
			✓		✓
83"	71"	83"	83"	95"	95"







ROTARY BROOMS

Model	2330	1415	1535
GC1705	✓		
GC1710	✓		
GC1715	✓		
GC1720	✓		
GC1723E	✓		
GC1723EB	✓		
GC1725M	✓		
GC1725MB	✓		
1526		✓	
1735M		✓	
1740M			✓
1750M			✓
1755M			✓
1760M			✓
Overall Width	47"	61"	72"
Working Width at Max. Angle	39"	49"	60.5"

STUMP GRINDER

Model	TSG50
GC1705	✓
GC1710	✓
GC1715	✓
GC1720	✓
GC1723E	✓
GC1723EB	✓
GC1725M	✓
GC1725MB	✓
1526	✓
1726E	✓
1734E	✓
1739E	✓
1735M	✓
1740M	✓
1750M	✓
1755M	✓
1760M	✓
2604H	✓
2605H	✓
2705E	✓
2706E	✓
Cutting Width	32"
Cutting Depth	16"



ROTARY TILLERS

Model	RT42.30	RTR42.30	RT48.30	RTR48.30	RT60.40	RTR60.40
GC1723E	✓	✓	✓	✓	✓	✓
GC1723EB	✓	✓	✓	✓	✓	✓
GC1725M	✓	✓	✓	✓	✓	✓
GC1725MB	✓	✓	✓	✓	✓	✓
1526	✓	✓	✓	✓	✓	✓
1726E	✓	✓	✓	✓	✓	✓
1734E	✓	✓	✓	✓	✓	✓
1739E			✓	✓	✓	✓
1735M	✓	✓	✓	✓	✓	✓
1740M			✓	✓	✓	✓
1750M					✓	✓
1755M						
1760M						
2604H						
2605H						
2705E						
2706E						
Tilling Width	41"	41"	47"	47"	59"	59"
Rotation	Forward	Reverse	Forward	Reverse	Forward	Reverse





	RT72.40	RTR72.40	TC60	TCR60	TC68	TCR68	TC74	TCR74
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓						
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓						
	✓	✓	✓	✓	✓	✓	✓	✓
	✓	✓						
	71"	71"	59"	59"	68"	68"	74"	74"
	Forward	Reverse	Forward	Reverse	Forward	Reverse	Forward	Reverse








FOOD PLOT SEEDER

Model	FPS48	FPS60	FPS72	FPS84
GC1705	✓			
GC1710	✓			
GC1715	✓			
GC1720	✓			
GC1723E	✓			
GC1723EB	✓			
GC1725M	✓			
GC1725MB	✓			
1526	✓			
1726E	✓			
1734E	✓	✓		
1739E	✓	✓	✓	
1735M	✓	✓		
1740M	✓	✓	✓	✓
1750M		✓	✓	✓
1755M		✓	✓	✓
1760M		✓	✓	✓
2604H		✓	✓	✓
2605H		✓	✓	✓
2606H		✓	✓	✓
2607H			✓	✓
2705E		✓	✓	✓
2706E		✓	✓	✓
4707			✓	✓
4708			✓	✓
Working Width	49"	60"	72"	84"

PRECISION SUPER SEEDER


Model	PSS48	PSS60	PSS72	PSS84
GC1705	✓			
GC1710	✓			
GC1715	✓			
GC1720	✓			
GC1723E	✓			
GC1723EB	✓			
GC1725M	✓			
GC1725MB	✓			
1526	✓			
1726E	✓			
1734E	✓	✓		
1739E	✓	✓	✓	
1735M	✓	✓		
1740M	✓	✓	✓	✓
1750M		✓	✓	✓
1755M		✓	✓	✓
1760M		✓	✓	✓
2604H		✓	✓	✓
2605H		✓	✓	✓
2606H		✓	✓	✓
2607H			✓	✓
2705E		✓	✓	✓
2706E		✓	✓	✓
4707			✓	✓
4708			✓	✓
Working Width	49"	60"	72"	84"











MINNESOTA

Bemidji
218.751.1033

Brainerd
218.829.9800

Buhl
218.258.3232

Columbus
651.982.5600

Crookston
218.281.4245

Duluth
218.722.6628

Fergus Falls
218.736.2680

Jackson
507.847.7600

Mankato
507.388.1444

Marshall
507.532.4403

Minneapolis
952.888.4121

Rochester
507.285.1775

Shakopee
952.233.4650

St. Cloud
320.253.2234

Willmar
320.235.8123

IOWA

Altoona
515.957.3800

Atlantic
712.243.1039

Fort Dodge
515.576.3161

Mason City
641.423.7240

Postville
563.864.7461

Sheldon
712.324.5604

Sioux City
712.252.4401

WISCONSIN

DeForest
608.842.0451

Dodgeville
608.935.3600

MISSOURI

Chillicothe
660.240.0900

Marshall
660.831.5181

Maryville
660.582.5150

ZIEGLER
AG EQUIPMENT

www.zieglerag.com

©2019 AGCO Corporation. Massey Ferguson is a worldwide brand of AGCO Corporation. AGCO and Massey Ferguson are trademarks of AGCO. All rights reserved.