



MASSEY FERGUSON



MASSEY FERGUSON EQUIPMENT GUIDE

ZIEGLER
AG EQUIPMENT



VERSATILE. DURABLE. DEPENDABLE.



ACCOMPLISH MORE ...

on your farm, in your yard, or at your job worksite.
Experience our lineup of Massey Ferguson® tractors
from Ziegler Ag Equipment.

From nimble sub-compacts to hardworking utility models,
these legendary tractors are engineered to provide you
with innovative capabilities in an easy-to-drive package.
No matter which model you choose, you'll experience
the outstanding value and versatility Massey Ferguson
is known for.

*Ask our Ziegler Ag Equipment team for more information
about our Massey Ferguson lineup.*

SUB-COMPACT

GC1700 SERIES	4
---------------	---

COMPACT

1500 SERIES	6
1700E SERIES	8
1700M SERIES	10

UTILITY

2600H SERIES	12
2700E SERIES	14
4610M HC HIGH CLEARANCE TRACTOR	16
4700 SERIES	18



SUB-COMPACT

Model	GC1723E	GC1723EB	GC1725M	GC1725MB
Engine HP	22.5	22.5	25.0	25.0
PTO HP	18.7	18.7	19.6	19.6
Weight	1,433 lbs.	2,670 lbs.	1,433 lbs.	2,670 lbs.
Travel Speed	9.1 mph	9.1 mph	9.1 mph	9.1 mph
Length	98"	98"	98"	98"
Width	47"	47"	47"	47"
Height	73"	73"	73"	73"
Ground Clearance	7"	7"	7"	7"

ADD ON

MODEL	LOADER (FL1805)	LOADER & BACKHOE (TLB)
Compatible Tractor Models	GC1723E, GC1725M	GC1723EB, GC1725MB
Capacity	922 lbs.	2,476 lbs. (digging force)
Max. Lift Height/Depth	74"	78"
Bucket Width	48"	12"

GC1700 SERIES

SUB-COMPACT



ADD ON

GC1700 CAB OPTIONS

Premium	Standard
Height: 59" floorboard to roof	Height: 59" floorboard to roof
Weight: 382 lbs.	Weight: 260 lbs.
Windshield: glass	Windshield: glass
Door Windows: glass	Door Panels: steel framed vinyl
Roof: steel with acoustical headliner	Roof: steel with acoustical headliner
Rear Panel: glass	Rear Panel: vinyl

ATTACHMENTS

Model	GC1723E	GC1723EB	GC1725M	GC1725MB
Finish Mower	✓	✓	✓	✓
Snow Removal	✓	✓	✓	✓
Rear Blades	✓	✓	✓	✓
Box Scrapers	✓	✓	✓	✓
Grading Scrapers	✓	✓	✓	✓
Landscape Rakes	✓	✓	✓	✓
Pulverizers	✓	✓	✓	✓
Stump Grinders	✓	✓	✓	✓
Post Hole Diggers	✓	✓	✓	✓
Rotary Tillers	✓	✓	✓	✓
Seeder	✓	✓	✓	✓
Batwing Mower				
Rotary Cutter	✓	✓	✓	✓

COMPACT

1500 SERIES



COMPACT

Model	1526
Engine HP	24.8
PTO HP	20.1
Weight	1,873 lbs.
Length	111"
Width	49.2"
Height	95.5"
Ground Clearance	11"

ADD ON

MODEL	LOADER (L100E)
Compatible Tractor Models	1526
Capacity	820 lbs.
Max. Lift Height	83"

Quick attach option available.

ADD ON

1500 SERIES CAB OPTIONS


Soft-Sided Cab

Height: 63" floorboard to roof
Weight: 210 lbs.
Shipping Weight: 320 lbs.
Windshield: glass
Door Panels: steel framed vinyl
Roof: steel with acoustical headliner
Rear Panel: vinyl
Wiper: 12 volt, heavy duty, 110 degree sweep



ATTACHMENTS

Model	1526
Finish Mower	✓
Snow Removal	✓
Rear Blades	✓
Box Scrapers	✓
Grading Scrapers	✓
Landscape Rakes	✓
Pulverizers	✓
Stump Grinders	✓
Post Hole Diggers	✓
Rotary Tillers	✓
Seeder	✓
Batwing Mower	
Rotary Cutter	✓



COMPACT

1700E SERIES



COMPACT

Model	1726E	1734E	1739E
Engine HP	24	34	38.5
PTO HP (Gear)	20.4	29.0	32.7
PTO HP (HST)	19.2	27.2	30.9
Weight	2,600 lbs.	2,734 lbs.	2,756 lbs.
Length	116"	116"	116"
Width	52.4"	52.4"	52.4"
Height	63.8"	63.8"	63.8"

ADD ON

MODEL	LOADER (L105E) SKID STEER QUICK ATTACH	LOADER & BACKHOE (CB75)
Compatible Tractor Models	All 1700E Series	1734E, 1739E
Capacity	1,210 lbs.	3,148 lbs. (digging force)
Max. Lift Height/Depth	95.7"	92.1"
Bucket Width	48"	10", 12", 16"

1700E SERIES

COMPACT

ATTACHMENTS

Model	1726E	1734E	1739E
Finish Mower	✓	✓	✓
Snow Removal	✓	✓	✓
Rear Blades	✓	✓	✓
Box Scrapers	✓	✓	✓
Grading Scrapers	✓	✓	✓
Landscape Rakes	✓	✓	✓
Pulverizers	✓	✓	✓
Stump Grinders	✓	✓	✓
Post Hole Diggers	✓	✓	✓
Rotary Tillers	✓	✓	✓
Seeder	✓	✓	✓
Batwing Mower			✓
Rotary Cutter	✓	✓	✓



COMPACT

1700M SERIES



COMPACT

Model	1735M	1740M	1750M	1755M	1760M
Engine	36.2	40.0	48.8	53.9	59.9
PTO HP (Shuttle)	27.5	31.2	38.1	41.3	46.1
PTO HP (HST)	26.4	29.1	36.2	39.7	44.4
Weight (ROPS)	3,362 lbs.	3,638 lbs.	3,913 lbs.	4,145 lbs.	4,178 lbs.
Length	122.0"	130.7"	132.3"	132.3"	132.3"
Width	64.2"	64.2"	65.4"	65.4"	65.4"

ADD ON

MODEL	LOADER (DL125)	LOADER (DL135)	LOADER & BACKHOE (CB75)	LOADER & BACKHOE (CB85)
Compatible Tractor Models	1735M, 1740M	1750M, 1755M, 1760M	1735M, 1740M	1750M, 1755M, 1760M
Capacity	1,840 lbs.	2,420 lbs.	3,148 lbs. (digging force)	4,475 lbs. (digging force)
Max. Lift Height	102.4"	110.2"	92.1"	99.6"

ADD ON

1700M CAB OPTIONS

Standard	Deluxe (available for HST only)
Height: 91.3"	Height: 91.3"
Weight: 3,803 lbs.	Weight: 3,803 lbs.
Heating and air conditioning	Air-ride seat
Wired for radio and speakers	Radio BT/CD/MP3
Front and rear wiper/washer	Rear defrost
2 front/rear work lights	Scissor sun visor



ATTACHMENTS

Model	1735M	1740M	1750M	1755M	1760M
Finish Mower	✓	✓	✓	✓	✓
Snow Removal	✓	✓	✓	✓	✓
Rear Blades	✓	✓	✓	✓	✓
Box Scrapers	✓	✓	✓	✓	✓
Grading Scrapers	✓	✓	✓	✓	✓
Landscape Rakes	✓	✓	✓	✓	✓
Pulverizers	✓	✓	✓	✓	✓
Stump Grinders	✓	✓	✓	✓	✓
Post Hole Diggers	✓	✓	✓	✓	✓
Rotary Tillers	✓	✓	✓		
Seeder	✓	✓	✓	✓	✓
Batwing Mower	✓	✓	✓	✓	✓
Rotary Cutter	✓	✓	✓	✓	✓

2600H SERIES



UTILITY

Model	2604H	2605H	2606H	2607H
Engine HP	45	55	65	74
PTO HP	38	46	55	64
Weight (ROPS)	4,927 lbs.	5,394 lbs.	5,710 lbs.	5,864 lbs.
Length	139"	139"	139"	139"
Width	64.6"	66.5"	69.9"	72.9"

ADD ON

MODEL

LOADER (911X)

Compatible Tractor Models	2600H Series 4WD
Capacity	1,510 lbs.
Max. Lift Height	115"

HYDRAULICS

The high capacity hydraulics make loader and implement work simple.

LOADER

Attaching and changing the bucket is easy on the 2600H Series tractors, so you can move from one job to another without any hassle.

**ATTACHMENTS**

Model	2604H	2605H	2606H	2607H
Finish Mower	✓	✓	✓	✓
Snow Removal	✓	✓	✓	✓
Rear Blades	✓	✓	✓	✓
Box Scrapers	✓	✓	✓	✓
Grading Scrapers	✓	✓	✓	✓
Landscape Rakes	✓	✓	✓	✓
Pulverizers	✓	✓	✓	✓
Stump Grinders	✓	✓	✓	✓
Post Hole Diggers	✓	✓	✓	✓
Rotary Tillers	✓			
Seeder	✓	✓	✓	✓
Batwing Mower	✓	✓	✓	✓
Rotary Cutter	✓	✓	✓	✓



UTILITY

Model	2705E	2706E
Engine HP	48.8	57.3
PTO HP (Gear)	41.4	48.7
PTO HP (HST)	39.0	45.9
Weight (ROPS)	3,836 lbs.	3,847 lbs.
Length	133"	133"
Width	74"	74"

ADD ON

MODEL	LOADER (L135E)	LOADER & BACKHOE (CB85)
Compatible Tractor Models	2705E, 2706E	2705E, 2706E
Capacity	1,770 lbs.	4,475 lbs. (digging force)
Max. Lift Height	110.2"	99.6"

SERVICE

Easy-access service points make preventive maintenance, like checking filters and fluid levels, simple.

LIFT CAPACITY

Compare our powerful 2,425-pound lift capacity with competitive models. You'll have more 3-point lift capacity and the power to get more done.



OPERATOR STATION

Clean, comfortable operator station features a well-positioned, suspended vinyl seat for maximum visibility to front and rear implements.

ATTACHMENTS

Model	2705E	2706E
Finish Mower	✓	✓
Snow Removal	✓	✓
Rear Blades	✓	✓
Box Scrapers	✓	✓
Grading Scrapers	✓	✓
Landscape Rakes	✓	✓
Pulverizers	✓	✓
Stump Grinders	✓	✓
Post Hole Diggers	✓	✓
Rotary Tillers	✓	
Seeder	✓	✓
Batwing Mower	✓	✓
Rotary Cutter	✓	✓

UTILITY

4610M HC HIGH CLEARANCE TRACTOR



UTILITY

Model	4610M HC
Engine HP	99
PTO HP	81.5
Weight (ROPS)	8,526 lbs.
Wheel Base	104"
Ground Clearance	Up to 27"

4610M HC HIGH CLEARANCE TRACTOR

UTILITY

SEAT

A well-positioned, adjustable seat for maximum comfort and visibility to front and rear implements.

CONTROLS

Simple, intuitive controls for easy operation.

LESS DOWNTIME

With no regeneration required and no expensive DPF filters to replace, the only stop is for fuel, which maximizes uptime.



HIGH-CLEARANCE TIRES

Two tire sizes provide heights of 27.7" or 31.1", from the drawbar to the ground, to minimize crop damage.



TRACK WIDTH

Flexible track widths, available in 60" and 80" configurations.





UTILITY

Model	4707	4708	4709	4710
Engine HP	70	80	90	100
PTO HP	58	68	78	88
Weight (ROPS)	7,125 lbs.	7,125 lbs.	7,125 lbs.	7,125 lbs.
Wheel Base	88.5"	88.5"	88.5"	88.5"

ADD ON

MODEL	LOADER (931X)	FL.3615
Compatible Tractor Models	All 4700 Series	All 4700 Series
Capacity	3,420 lbs.	3,461 lbs.
Max. Lift Height/Depth	136"	140"

ADD ON**4700 CAB OPTIONS****Deluxe**

Weight: 8,644 lbs.

Left side and right side entry

Mechanical spring suspension seat with armrests


2 front/rear mounted work lights

Factory-installed antenna and speakers

Cup holder

**ATTACHMENTS**

Model	4707	4708	4709	4710
Finish Mower	✓	✓	✓	✓
Snow Removal	✓	✓	✓	✓
Rear Blades	✓	✓	✓	✓
Box Scrapers	✓	✓	✓	✓
Grading Scrapers	✓	✓	✓	✓
Landscape Rakes	✓	✓	✓	✓
Pulverizers	✓	✓	✓	✓
Stump Grinders	✓	✓	✓	✓
Post Hole Diggers	✓	✓	✓	✓
Rotary Tillers				
Seeder	✓	✓	✓	✓
Batwing Mower	✓	✓	✓	✓
Rotary Cutter	✓	✓	✓	✓



MINNESOTA

Bemidji
218.751.1033

Brainerd
218.829.9800

Buhl
218.258.3232

Columbus
651.982.5600

Crookston
218.281.4245

Duluth
218.722.6628

Fergus Falls
218.736.2680

Jackson
507.847.7600

Mankato
507.388.1444

Marshall
507.532.4403

Minneapolis
952.888.4121

Rochester
507.285.1775

Shakopee
952.233.4650

St. Cloud
320.253.2234

Willmar
320.235.8123

IOWA

Altoona
515.957.3800

Atlantic
712.243.1039

Fort Dodge
515.576.3161

Mason City
641.423.7240

Postville
563.864.7461

Sheldon
712.324.5604

Sioux City
712.252.4401

WISCONSIN

DeForest
608.842.0451

Dodgeville
608.935.3600

MISSOURI

Chillicothe
660.240.0900

Marshall
660.831.5181

Maryville
660.582.5150

ZIEGLER
AG EQUIPMENT

www.zieglerag.com