



CAT[®] WHEEL LOADERS

COMPACT WHEEL LOADERS || SMALL WHEEL LOADERS

ZIEGLER 

REDUCE DOWNTIME WITH A CUSTOMER VALUE AGREEMENT

When you rely on Cat® equipment to get the job done, downtime is not an option. The Cat Customer Value Agreement (CVA) makes owning and maintaining your Cat equipment a breeze.

Developed specifically for Cat customers, the CVA provides you with a personalized preventative maintenance schedule, based on machine starting hours, so you can focus on keeping your business moving forward.



EXPERIENCE THE ZIEGLER DIFFERENCE

At Ziegler CAT, we try to do things differently — to do things better. If you're looking for quality equipment with the latest technology and the best in service and support, you've come to the right place. Our sales team works hard to make

sure you get the most out of every purchase. Our service team, both on the jobsite and in the shop, will keep you up and running every day. Our parts network is the industry's best, meaning you'll enjoy more uptime.

WORLD-CLASS SERVICE

Ziegler offers extensive resources to support your equipment needs. For over 100 years, we've dedicated ourselves to maximizing your equipment uptime by providing world-class service. We continue that commitment today by investing in our skilled technicians, providing them with ongoing training and education.

When you need service in the field, emergency or not, Ziegler will promptly dispatch a Field Service Technician who will arrive with the latest diagnostics, tools, and technology, ready to get you back to work.

BY THE NUMBERS

330+

Cat-certified
Field Service Technicians

360

Field service trucks

900+

Factory-certified Technicians

MODEL LINEUP SPECS

Whatever the job, there's a Cat Wheel Loader that's purpose-built to move your business forward. Cat Wheel Loaders have the power to take on all kinds of tasks — loading, stockpiling, aggregate handling, and more — with the built-in versatility of one machine. Today's Wheel Loader lineup works more productively, comfortably, and fuel efficiently than ever before, all with your choice of technology options.

Compact Wheel Loaders



Model	903D	906	907	908	908 High Lift
Operating Weight	9,414 lbs.	12,628 lbs.	12,765 lbs.	14,617 lbs.	14,902 lbs.



910	910 High Lift	914	914 High Lift	920	920 High Lift
18,102 lbs.	18,575 lbs.	19,103 lbs.	19,342 lbs.	21,742 lbs.	22,136 lbs.

Small Wheel Loaders



Model	926M	926M High Lift	930M	930M Ag Handler	930M Aggregate Handler
Operating Weight	28,193 lbs.	29,163 lbs.	31,382 lbs.	31,382 lbs.	31,848 lbs.



938M	938M High Lift	938M Aggregate Handler	938M Waste Handler
35,778 lbs.	36,499 lbs.	36,839 lbs.	41,794 lbs.

NEXT GEN LOADERS

INTRODUCING THE NEW NEXT GEN LOADERS



906, 907, 908, 908HL



CUSTOMER-DRIVEN FEATURES

The new Cat Compact Wheel Loader is more capable than the previous generation of loaders with more power, capacity, and customer-driven features.

- » 908 arm adjustments to allow for better clearance when loading materials
- » Updated quick couplers to add protection to hydraulic lines
- » All universal mounting brackets
- » Under-hood lighting
- » Rimpull control to save on tire wear

CAB COMFORT

The cab is designed with intuitive controls to keep you working comfortably all day long.

- » Deluxe cab options: tilt column and two sliding windows
- » Bluetooth or push start instead of key
- » Improved air filtration system with easy cleaning
- » 16-button keypad to put controls at your fingertips
- » New and improved monitors
- » Two doors to simplify cleaning (wash through)

EASE OF OPERATION

- » Higher speed
- » New bucket design to allow for a larger bucket load
- » High flow option to allow for diversified attachments
- » Improved drive train access to service points
- » Improved rotary sensors to allow more accurate material loading
- » Hystat Response to improve material stability

SAFETY

- » 57% larger mirrors (standard) for better visibility
- » Front and rear camera options
- » LED warning beacon light
- » Optional additional rear- and front-facing lights
- » Single curved front and rear windows with 60% wiper coverage



First-class features for greater safety and accessibility.

- » Visibility — raised seat and large windows offer increased visibility
- » Optional backup camera
- » LED lights
- » Easy access to cab
- » Foldable stairs

MAXIMIZE YOUR MACHINE

Get up and running quickly with ground level, daily service access.

- » Easily accessible service points
- » Extended service intervals
- » Easy battery terminal access
- » Three large service doors to give full access to filters and service points

Increase uptime with unsurpassed worldwide parts availability, trained technicians, and customer support agreements.



Work tool attachments for every job.



BUCKETS

- » GP SSL Coupler Bucket 0.8 cu yd
- » GP SSL Coupler Bucket 1.0 cu yd
- » GP SSL Coupler Bucket 1.2 cu yd
- » GP IT Coupler Bucket 1.7 cu yd
- » GP IT Coupler Bucket 2.2 cu yd
- » GP Fusion Coupler Bucket 2.5 cu yd
- » Fusion General Purpose 2.7 cu yd
- » Fusion General Purpose 3.2 cu yd
- » Fusion General Purpose 3.8 cu yd



FORKS

- » SSL Coupler Forks — 42" Tines
- » Class III SSL Coupler Forks — 48" Tines
- » IT Coupler Pallet Forks — 54" and 60" Tines
- » Fusion Coupler Pallet Forks — 54" and 60" Tines



MATERIAL HANDLING ARM

- » Fusion Material Handling Arm



SNOW PUSHERS AND PLOWS

- » Cat
- » Arctic
- » SnowWolf



Caterpillar's patented optimized Z-bar linkage offers the most efficient choice of both breakout and parallelism for whatever your job requires. Available in both standard and high lift configurations.

COMPACT WHEEL LOADERS



» REFERENCE CHART

MODEL	903D	906	907	908	908 High Lift
Operating Weight	9,414 lbs.	12,628 lbs.	12,765 lbs.	14,617 lbs.	14,902 lbs.
Engine Model	Cat C2.4	Cat C2.8	Cat C2.8	Cat C2.8	Cat C2.8
Net Power	42 hp	74 hp	74 hp	74 hp	74 hp
PERFORMANCE					
Reach at Ground Level	2' 8"	2' 4"	2' 4"	2' 6"	3' 5"
Reach at Maximum Dump Height	2' 5"	2' 4"	2' 4"	2' 6"	3' 5"
Dig Depth	6"	3"	3"	4"	2"
Maximum Dump Height	7' 6"	10' 7"	10' 7"	11' 1'	12' 9"
UNDERCARRIAGE					
Wheelbase	6' 5"	7' 1"	7' 1"	7' 1"	7' 1"
Ground Clearance	10"	11"	11"	1'	1'
1 Speed	X	6 mph	6 mph	6 mph	6 mph
2 Speed	X	10.5 mph	10.5 mph	10.5 mph	10.5 mph
Maximum Travel Speed	12.4 mph	25 mph (high speed)	25 mph (high speed)	25 mph (high speed)	25 mph (high speed)
HYDRAULICS					
Total Pump Flow	14 gal/min	22 gal/min	19 gal/min	22 gal/min	22 gal/min
Operating Pressure	3,481 psi	3,408 psi	3,408 psi	3,408 psi	3,408 psi
TRANSPORT DIMENSIONS					
Overall Length	15' 9"	17' 7"	17' 7"	18' 2"	20' 2"
Overall Height	8' 3"	8' 1"	8' 6"	8' 9"	8' 9"
Overall Width	5' 7"	6'	6'	6' 6"	6' 6"
ATTACHMENTS					
Bucket	GP SSL Coupler Bucket 0.8 cu yd	GP SSL Coupler Bucket 1.0 cu yd	GP SSL Coupler Bucket 1.2 cu yd	GP SSL Coupler Bucket 1.2 cu yd	GP SSL Coupler Bucket 1.2 cu yd
Forks	SSL Coupler Forks — 42" Tines	Class III SSL Coupler Forks — 48" Tines	Class III SSL Coupler Forks — 48" Tines	Class III SSL Coupler Forks — 48" Tines	Class III SSL Coupler Forks — 48" Tines
Snow Pushers and Plows	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf

SMALL WHEEL LOADERS



» REFERENCE CHART

MODEL	926M	926M High Lift	930M	930M Ag Handler
Operating Weight	28,193 lbs.	29,163 lbs.	31,382 lbs.	31,382 lbs.
Engine Model	Cat C7.1	Cat C7.1 Acert	Cat C7.1 Acert	Cat C7.1 Acert
Net Power	168 hp	168 hp	168 hp	168 hp
PERFORMANCE				
Reach at Ground Level	3' 1"	4' 1"	3' 6"	4' 5"
Reach at Maximum Dump Height	3' 1"	4' 1"	3' 6"	4' 5"
Maximum Reach	3' 1"	4' 1"	3' 6"	4' 5"
Dig Depth	3.9"	5.3"	3.9"	5.3"
Maximum Dump Height	11'	14' 5"	10' 11"	11' 7"
UNDERCARRIAGE				
Wheelbase	9' 10"	9' 10"	9' 10"	9' 10"
Ground Clearance	1' 4"	1' 3"	1' 4"	1' 4"
1 Speed	8 mph	8 mph	8 mph	8 mph
2 Speed	17 mph	17 mph	17 mph	17 mph
Maximum Travel Speed	25 mph	25 mph	25 mph	25 mph
HYDRAULICS				
Total Pump Flow	40 gal/min	40 gal/min	50 gal/min	50 gal/min
Operating Pressure	3,771 psi	3,771 psi	3,771 psi	3,771 psi
TRANSPORT DIMENSIONS				
Overall Length	24' 3"	26' 6"	24' 8"	27' 4"
Overall Height	10' 11"	10' 11"	10' 11"	10' 11"
Overall Width	8' 4"	8' 4"	8' 4"	8' 4"
ATTACHMENTS				
Bucket	Fusion General Purpose Bucket 2.7 cu yd	Fusion General Purpose Bucket 2.7 cu yd	Fusion General Purpose Bucket 3.2 cu yd	Fusion General Purpose Bucket 3.2 cu yd
Forks	Fusion Pallet Forks — 54" and 60" Tines	Fusion Pallet Forks — 54" and 60" Tines	Fusion Pallet Forks — 54" and 60" Tines	Fusion Pallet Forks — 54" and 60" Tines
Material Handling Arm	Fusion Material Handling Arm	Fusion Material Handling Arm	Fusion Material Handling Arm	Fusion Material Handling Arm
Snow Pushers and Plows	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf



930M Aggregate Handler	938M	938M High Lift	938M Aggregate Handler	938M Waste Handler
31,848 lbs.	35,778 lbs.	36,499 lbs.	36,839 lbs.	41,794 lbs.
Cat C7.1	Cat C7.1 Acert	Cat C7.1 Acert	Cat C7.1	Cat C7.1
170 hp	188 hp	188 hp	188 hp	190 hp
3' 8"	4' 4"	4' 7"	3' 10"	3' 10"
3' 8"	4' 4"	4' 7"	3' 10"	3' 10"
3' 8"	4' 4"	4' 7"	3' 10"	3' 10"
3.9"	4"	5.3"	3.9"	3.9"
12' 10"	13'	14' 11"	13'	13' 2"
9' 10"	10'	10'	10'	10'
1' 4"	1' 5"	1' 3"	1' 3"	1' 3"
8 mph	8 mph	8 mph	8 mph	8 mph
17 mph	17 mph	17 mph	17 mph	17 mph
25 mph	25 mph	25 mph	25 mph	25 mph
50 gal/min	50 gal/min	50 gal/min	50 gal/min	50 gal/min
3,771 psi	4,061 psi	4,061 psi	4,061 psi	4,061 psi
25'	25' 1"	27' 6"	25' 4"	26' 2"
10' 11"	10' 11"	10' 11"	10' 11"	11' 1"
8' 4"	8' 10"	8' 10"	8' 10"	8' 10"
Fusion General Purpose Bucket 3.2 cu yd	Fusion General Purpose Bucket 3.8 cu yd	Fusion General Purpose Bucket 3.8 cu yd	Fusion General Purpose Bucket 3.8 cu yd	Fusion General Purpose Bucket 3.8 cu yd
Fusion Pallet Forks — 54" and 60" Tines	Fusion Pallet Forks — 54" and 60" Tines	Fusion Pallet Forks — 54" and 60" Tines	Fusion Pallet Forks — 54" and 60" Tines	Fusion Pallet Forks — 54" and 60" Tines
Fusion Material Handling Arm	Fusion Material Handling Arm	Fusion Material Handling Arm	Fusion Material Handling Arm	Fusion Material Handling Arm
Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf	Cat, Arctic, SnowWolf

RENTAL SERVICES

At Ziegler Rental, you'll find everything you need to get the job done right, plus something other rental stores don't have — the full line of Cat equipment. Our rental fleet stays on the job in Minnesota and Iowa, ensuring quick availability at our 25 convenient locations.

From the biggest machines to the smallest tools, we've got it all. Visit www.zieglerrental.com to learn more.

USED EQUIPMENT

Let us be your one-stop-shop for all your used equipment needs. We'll work with you to find the equipment you need, at a price that's right for you, all backed by our extensive parts and service network.

We believe that higher standards don't have to come at a greater cost. That's why every machine in our used inventory is put through a rigorous inspection process before we put it on the market. We want to make sure that every piece of equipment with our name on it meets our standards, whether it's two years old or 10 years old. This also means we go further than just kicking the tires — we stand behind each machine that we sell.

Online Access

To view a complete list of high-quality used equipment from Ziegler CAT, visit our website at www.zieglercat.com/used.



ZIEGLER LOCATIONS

MINNESOTA

Ada

2099 State Highway 9
218.784.2961

Bemidji

5426 Highway 71 N
218.751.1033

Brainerd

3311 Liberty Lane
218.829.9800

Buhl

10081 E Highway 169
218.258.3232

Columbus

13822 W Freeway Drive
651.982.5600

Crookston

720 3rd Avenue SW
218.281.4245

Dayton*

18171 Territorial Road
763.428.0730

Duluth

210 Garfield Avenue
218.722.6628

Fergus Falls

3502 State Highway 210 W
218.736.2680

Jackson

191 Industrial Parkway
507.847.7600

Madison

2488 Highway 75 N
320.598.3150

Mankato

2145 Howard Drive W
507.388.1444

Marshall

1200 N Highway 59
507.532.4403

Minneapolis

901 W 94th Street
952.888.4121

Rochester

6340 Highway 63 S
507.285.1775

Shakopee

8000 County Road 101 E
952.887.4570

St. Cloud

2225 255th Street
320.253.2234

Willmar

4600 Highway 71 S
320.235.8123

IOWA

Altoona

1500 Ziegler Drive NW
515.957.3828

Atlantic

951 Park Drive
712.243.1039

Fort Dodge

3366 5th Avenue S
515.576.3161

Holland

17075 Market Avenue
319.824.8702

Mason City

11490 265th Street
641.423.7240

New Hampton

1819 McCloud Avenue
641.394.4226

Postville

308 North Lawler
563.864.7461

Sheldon

102 Crossroads Drive
712.324.5604

Sioux City

5300 Harbor Drive
712.252.4401

*Cat Rental Store Only

www.zieglercat.com