



MASSEY FERGUSON

**GC1700 Series**



**FROM MASSEY FERGUSON®**

A world of experience. Working with you.





**INTRODUCING THE NEW AND IMPROVED  
GC1700 SERIES COMPACT TRACTORS  
FROM MASSEY FERGUSON®.**

**WE'LL QUIT WHEN YOU QUIT.**



**DON'T LET THE COMPACT SIZE  
FOOL YOU. THESE TRACTORS  
GIVE YOU MORE VERSATILITY,  
DEPENDABILITY AND COMFORT  
THAN EVER BEFORE.**

Once again, Massey Ferguson® has reinvented what compact tractors can be. Redesigned what they look like. And redefined what they do.

With up to 25 gross engine horsepower, these easy-to-drive, multitasking GC1700 Series workhorses deliver straightforward, intuitive performance in a compact-sized machine. Because they handle everything from mowing, loading and backhoe work to snow-blowing and hauling, they're perfect for:

- General farm and property maintenance
- Small-scale road and land grading
- Horse farms
- Hunting properties
- Small mixed and specialty farms
- Landscaping
- Construction
- And more



**THE PERFECT ALL-AROUND MACHINE FOR TACKLING THE CHORES YOU FACE EVERY DAY.  
TODAY. AND TOMORROW.**

Whether you're a small property homeowner or a seasoned pro, everything about the Massey Ferguson GC1700 Series is designed and engineered to help you get a wide variety of jobs done right. Now, and as your needs evolve in the years ahead.

**EASIER & MORE COMFORTABLE TO USE**

The operator's station has been improved to make the transition from lawn tractor to sub-compact even more seamless. All major controls and functional pedals are now easier to reach and operate, located in familiar, intuitive locations. A large, flat foot deck offers easy entry and exit. And a new and improved seat makes the whole operating experience even more comfortable.

**PRO-QUALITY MOWING DECKS**

The 10-gauge stamped steel, full-floating decks deliver a top-notch cut on every type of terrain. All spindle assemblies are made of cast iron for greater durability, compared to aluminum-cast spindles. Perfect for residential or commercial use.

**ADD A LOADER FOR OUTSTANDING MATERIAL HANDLING**

With dual-bucket cylinders and exceptional bucket rollback angles, Massey Ferguson Compact Series loaders deliver better performance than single-cylinder loaders. Efficient hydraulic pumps deliver higher output at lower RPM than most competitive models.

**A BACKHOE THAT FITS LIKE A GLOVE**

The GC1700 Series works seamlessly with the full-size, 6.5-ft. CB65 backhoe, which offers features the competition doesn't. Fully integrated four-point sub-frame, large-diameter cylinders, industry-leading cycle times and our exclusive Boom Float Control make this the most versatile, stable and easy-to-operate backhoe in its class.







## SPECIFICATIONS\*


| MODEL                                    |
|------------------------------------------|
| Engine Gross HP (kW)                     |
| PTO HP (kW)                              |
| Engine                                   |
| Transmission                             |
| Hydraulics                               |
| 3-Point Hitch Lift Capacity** lbs. (kg.) |
| Max Loader Height in. (cm)               |
| Max Loader Capacity lbs. (kg.)           |
| Backhoe Package                          |
| Max Backhoe Digging Depth in. (cm)       |
| Max Bucket Digging Force lbs. (kg.)      |

\*\*24 in. behind pins

| MF6C1723E                                                                         | MF6C1723EB    | MF6C1725M          | MF6C1725MB    |
|-----------------------------------------------------------------------------------|---------------|--------------------|---------------|
| 22.5 (16.8)                                                                       |               | 24.0 (17.9)        |               |
| 18.3 (13.6)                                                                       |               | 18.5 (13.8)        |               |
| Iseki 1.1-liter, 3-cylinder, liquid-cooled diesel, Tier 4 Final                   |               |                    |               |
| 2-range hydrostatic transmission with side-by-side foot pedals and cruise control |               |                    |               |
| 6.3 GPM (24.0 LPM)                                                                |               | 6.9 GPM (26.3 LPM) |               |
|                                                                                   | 661 (300)     |                    |               |
|                                                                                   | 72.8 (1,850)  |                    |               |
|                                                                                   | 870 (395)     |                    |               |
| No                                                                                | Yes           | No                 | Yes           |
| –                                                                                 | 77.5 (1,968)  | –                  | 77.5 (1,968)  |
| –                                                                                 | 2,476 (1,123) | –                  | 2,476 (1,123) |

## MF6C1700 GARDEN COMPACT COMPATIBLE IMPLEMENTS

- MF2315 54-inch Mower Deck (Mulching) – Non-Drive Over
- MF2320 54-inch Mower Deck – Non-Drive Over
- MF2326 60-inch Mower Deck – Drive Over
- MF2340 60-inch Heavy Duty Front Blade
- MF2360 50-inch Snow Blower
- MF2330 47-inch Rotary Broom
- 3-Point Hitch Rear-Mounted Implements
- Quick Attach (Skid-Steer Style) Tool Carrier Available



\*Specifications are manufacturer's estimates at time of publication and are subject to change without prior notification.

AGCO is a premier manufacturer of agricultural equipment, providing high-tech solutions for professional farmers feeding the world. The company is dedicated to delivering superior customer service, innovation and quality. AGCO products are distributed in more than 140 countries worldwide.

© 2018 AGCO Corporation. Massey Ferguson is a brand of AGCO Corporation. AGCO® and Massey Ferguson® are trademarks of AGCO. All rights reserved. MF19S004CR